

Daylightstar T8

F18W/Daylightstar Retail

0000716



Range Features

- Reduces algae growth through a special UV-STOP protective sleeve
- Allows fish and plants to be seen in their true colours (high colour rendition)
- 5000K triphosphor lamp with a daylight character
- High colour rendition
- Long life
- Applications
- For use in fresh water aquariums
- In combination with Grolux® it produces a well balanced and optimal aquarium life



PRODUCT OVERVIEW

Lamp finish	Coated
Lamp shape	Tubular
Colour temperature (K)	5000
Dimmable	Yes
EAN code	5410288007168
Cap/Base	G13
Туре	DaylightStar
Watt (Nominal) (W)	18
Ordering number	0000716
Luminous flux (Rated) (lm)	1300
Voltage (V)	57

DATA TABLE

Ganaral	data

Octricial data	
Average life (Nominal) (h)	10000
Control gear required	Yes
Lamp finish	Coated
Lamp shape	Tubular
Dimmable	Yes
EAN code	5410288007168
Fixture rating	Open
IEC Reference	IEC 60081



Daylightstar T8

F18W/Daylightstar Retail

0000716

IEC Reference 2	IEC 61195
Cap/Base	G13
Lamp mercury content (mg)	10
Туре	DaylightStar
Ordering number	0000716
Range features	Reduces algae growth through a special UV-STOP protective sleeve Allows fish and plants to be seen in their true colours (high colour rendition) 5000K triphosphor lamp with a daylight character High colour rendition Long life Applications For use in fresh water aquariums In combination with Grolux® it produces a well balanced and optimal aquarium life
Product name	F18W/Daylightstar Retail
Special purpose lamp	Yes
Transformer required	No
Sales pack quantity	10
E-number SE	8356661
Optical data	
Colour temperature (K)	5000
Luminous flux (Nominal) (lm)	1300
Luminous flux (Rated) (lm)	1300
Electrical data	
Current (A)	0.37
Watt (Nominal) (W)	18
Watt (Rated) (W)	18
Voltage (V)	57
Physical data	
Max. Lamp Diameter (mm) - D	26
Lamp Length (mm) - C/L	604
Length base to base (mm) - A	589.8
Length base to pin Min-Max - B	594.5-596.9
Single packaging type	Box/Sleeve
Weight (kg)	0.08

TECHNICAL DRAWINGS



Daylightstar T8 F18W/Daylightstar Retail

0000716

